




from nature ————— to nature

zupi



Having years of experience in the field of adrenalin park construction, ZUPI and our professional team offer you solutions and help for the construction of your own adrenalin park.



Planning
and designing
parks



Broad choice
of various
elements
and exercises
(games)



Custom-made
construction
of various
elements



Consulting
about
materials for
your project

Walking obstacles

Walking obstacles are elements placed on the height of the platforms. User should walk on the elements.

6

Climbing obstacles

Climbing obstacles are To be installed vertically for user to climb from one element to another.

56

Hanging obstacles

Hanging and floating between platforms, hanging obstacles are To be installed on wire ropes above the user's head.

71



Riding obstacles

Elements on trolleys
to ride from one
platform to another.

Other obstacles

Special elements,
mattresses, and
vertical elements.

Other

Products of
companies we
cooperate with.

108

113

125

Walking obstacles

Walking obstacles are elements placed on the height of the platforms. User should walk on the elements.

Walking obstacle

CATERPILLAR BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.


Size of caterpillar:

Head: W 73 cm, L 61 cm

Middle element: W 65 cm, L 58 cm

Back: W 66 cm, L 72 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle



HEDGEHOG BRIDGE

To be installed on two wire ropes.
The distance between the holes is 50 cm.

The surface of the element is non-slip and weather resistant.

Size of hedgehog: W 85 cm, L 51 cm

Colour of hedgehog:



Comes with assembly material.

Walking obstacle

OWL BRIDGE


To be installed on two wire ropes.

The distance between the holes is 50 cm.

The surface of the element is non-slip and weather resistant.

Size of owl: W 80 cm, L 80 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


SQUIRREL BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of squirrel: W 100 cm, L 73 cm

Colour of squirrel:



Comes with assembly material.

Walking obstacle


HAPPY CROCO BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of Croco in the picture:
W 105 cm (the widest part),
L 530 cm (without the space
between the elements).
Size can be customised.

Colours of croco:



Comes with assembly material.

Walking obstacle


ACORN BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of acorn: W 72 cm, L 64 cm

Colour of acorn:



Comes with assembly material.

Walking obstacle



STRAWBERRY BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of strawberry: W 71 cm, L 71 cm

Colour of strawberry:



Comes with assembly material.

Walking obstacle


LETTERS

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of the letters:
W 75 cm, L 23-84 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


BANANA BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of banana: W 60 cm, L 40 cm

Colour of banana:



Comes with assembly material.

Walking obstacle

BIG FOOT BRIDGE


To be installed on two wire ropes.
The distance between the holes is 60 cm.

Two round beams are placed under each bigfoot.

The surface of the element is non-slip and weather resistant.

Size of bigfoot element:
L 75 cm W 75 cm

Colour of bigfoot:



Comes with assembly material.

Walking obstacle



CANDY BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of candy: W 67 cm, L 36 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


PUZZLE BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of puzzle:
W 67-107 cm, L 67-107 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


BUTTERFLY BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of butterfly: W 91 cm, L 70 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


SNAIL BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of snail: W 112 cm, L 46 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


APPLE BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of apple: W 74 cm, L 69 cm

Colour of apple:



Comes with assembly material.

Walking obstacle



PEAR BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of pear: W 74 cm, L 54 cm

Colour of pear:



Comes with assembly material.

Walking obstacle



CARROT BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of carrot: W 70 cm, L 30 cm

Colour of carrot:



Comes with assembly material.

Walking obstacle

DOMINO BRIDGE



To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of domino: W 70 cm, L 36 cm

Colour of domino:

○ ●



Comes with assembly material.

Walking obstacle



FISH BRIDGE

To be installed on two wire ropes.
The distance between the holes is 50 cm.

The surface of the element is non-slip and weather resistant.

Size of fish: W 77 cm, L 52 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle


BUNNY BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of bunny: W 66 cm, L 52 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle



TURTLE BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of turtle: W 70 cm, L 50 cm

Colours to choose from:



Comes with assembly material.

Walking obstacle

MUSHROOM BRIDGE


To be installed on two wire ropes.
The distance between the holes
is 50 cm.

The surface of the element is
non-slip and weather resistant.

Size of mushroom: W 72 cm, L 77 cm

Colour of mushroom:

○ ●



Comes with assembly material.

Walking obstacle


BOARD BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Size of board:

75 cm x 12 cm x 3 cm




Comes with assembly material.

Walking obstacle

BEAM BRIDGE

To be installed directly
on the platform.

The beam length is customized to
your needs. The diameter is 16 cm.



Comes with assembly material.



Walking obstacle

LONGWAY BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Size of element: W 75 cm, L 400 cm
Size can be customised.



Comes with assembly material.

Walking obstacle

WALKING X BRIDGE


To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Size of X element: 75 cm

Size of x element mini: 40 cm*

*The distance between the holes is 30 cm.



Comes with assembly material.

Walking obstacle


WALKING Z BRIDGE

To be installed on two wire ropes.

The distance between the holes is 60 cm.

Made of larch (mélèze) wood.

Size of Z element: W 75 cm, L 150 cm



Comes with assembly material.

Walking obstacle

CIRCLE WALK BRIDGE


To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Diameter of circle: 75 cm

Size of circle mini: 40cm*

*The distance between the holes is 30 cm.



Comes with assembly material.


Walking obstacle

WALKING ON SQUARE

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Size of square: 75 cm



Comes with assembly material.


Walking obstacle

WALKING ON DIAMOND

To be installed on two wire ropes.
The distance between the holes
is 30 cm.

Made of larch (mélèze) wood.

Size of diamond element: 40 cm



Comes with assembly material.


Walking obstacle

WALKING COMBINATION BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 30 cm.

Made of larch (mélèze) wood.

Size of elements: 40 cm



Comes with assembly material.

Walking obstacle


SNAKE BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Size of snake elements:
75 cm x 12 cm x 3 cm and
max 120 cm (optional) x 12 cm x 3 cm

Boards can be of different lengths.




Comes with assembly material.

Walking obstacle

ROUND BEAMS WALK

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Size of beam: 75 cm x ø10 cm



Walking obstacle

X CROSS BRIDGE

To be installed on two wire ropes.
The distance between the holes is 60 cm.


Mattresses have to be installed on two wire ropes above the rope course.

Made of larch (mélèze) wood.

Size of board:

75 cm x 12 cm x 3 cm

Size of mattress: 200cm x Ø10 cm



Easy exercise

Comes with assembly material.

Walking obstacle

BRIDGE WITH WINDOWS

Windows have to be installed on the top of two wire ropes.

The distance between the holes is 80 cm.


The surface of the element is weather resistant.

Shapes:

pear, apple, cloud, ladybug, mushroom, hazelnut; a variety of different shapes.

Size of window: W 120 cm, H 162 cm

Colours to choose from:




Comes with assembly material.

Walking obstacle

BARRELS

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Size of barrel: W 38 cm, H 44 cm



Comes with assembly material.


Walking obstacle

SCALES

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

Made of larch (mélèze) wood.

Length of scale: max 250 cm



Comes with assembly material.

Walking obstacle


RUBBER SEMICIRCLE WALK

To be installed on two wire ropes.
The distance between the holes
is 60 cm.

The rubber is installed on
wooden island. Island is made of
larch (mélèze) wood.

Size of element: 75 cm

Colours of the rubber half-ball are
subject to availability.



Comes with assembly material.

Walking obstacle



WALKING PAWS BRIDGE

To be installed on two wire ropes.
The distance between the holes
is 40 cm.

The surface of the element is
non-slip and weather resistant.

Diameter of circle: 60 cm

Colour of circle:



Comes with assembly material.

Walking obstacle

ROPE WINDOWS

To be installed on two wire ropes.


The distance between the holes is 60 cm.

Made of larch (mélèze) wood.

Size of window:

W 80 cm, L 155 cm

Length of the window can be customised.




Comes with assembly material.

Walking obstacle

SKITTLES BRIDGE

To be installed on two wire ropes – one above the other. The distance between the holes is 40 cm.

Size of beam:
H 60 cm x ø12 cm




Comes with assembly material.

Walking obstacle

WOODEN MUSHROOMS BRIDGE

To be installed on two wire ropes.
The distance between the wire
ropes needs to be 35 cm.

Diameter of mushroom: 45 cm



Comes with assembly material.


Walking obstacle

ROPE WALK

To be installed on two wire ropes.
The distance between the wire ropes needs to be 60 cm.

Rope diameter: 16 mm

Full length of the element is 60 cm.



Comes with assembly material.


Walking obstacle

WALKING ON THE NET

To be installed on two wire ropes.
The distance between the wire ropes
needs to be 60 cm.

Size of the net: W 55 cm, L custom

We recommend using double net.



Walking obstacle

FLOATING WINDOWS

To be installed on two wire ropes.


The distance between the wire ropes needs to be 60 cm.

Made of larch wood.

Size of window:

W 80 cm, L 155 cm

Length of the window can be customised.



Comes with assembly material.

Walking obstacle


SHORT HOP BRIDGE

To be installed on two wire ropes.

The distance between the wire ropes needs to be 60 cm.

Made of larch wood.

Diameter of circle: 60 cm



Comes with assembly material.

Walking obstacle


WALKING ROUND BEAM

To be installed on two wire ropes.
The distance between the wire ropes needs to be 60 cm.

Size of beam:

150 cm x ø12 cm or

200 cm x ø12 cm



Comes with assembly material.


Walking obstacle

SLACK LINE

To be installed directly on the platforms.

Length of slack line: 10m, 15m, 20m

Colours to choose from:



Climbing obstacles

Climbing obstacles are to be installed vertically for user to climb from one element to another.

Climbing obstacle



CLIMBING NET

To be installed on two wire ropes.

Mesh size: 25 cm or 30 cm

Rope diameter: 16 mm

Size of net: custom



Comes with assembly material.

Climbing obstacle

CLIMBING A NET


To be installed on three wire ropes.

Mesh size: 25 cm or 30 cm

Rope diameter: 16 mm

Size of the net: custom

Difficult
exercise



Comes with assembly material.

Climbing obstacle



CLIMBING CURTAINS

To be installed on two wire ropes.

Mesh size: 25 cm or 30 cm

Rope diameter: 16 mm

Size of the net: W 100 cm, H 250 cm.
Size can be customised.



Comes with assembly material.

Climbing obstacle

CLIMBING NET L->R

To be installed on three or four wire ropes.



Zigzag installation.

Mesh size: 25 cm or 30 cm

Rope diameter: 16 mm

Size of the net: W 100 cm, H 250 cm

Size can be customised.



Comes with assembly material.

Climbing obstacle



SPIDER NET

To be installed on two wire ropes.

Mesh size: 5–40 cm

Rope diameter: 16 mm

Size of the net: custom



Comes with assembly material.

Climbing obstacle

NET PYRAMID

To be installed on one wire rope.
Additional security must be installed
between the pyramid structure and
the wire rope.

Made of larch wood.

Size of the net pyramid:
W 80 cm, H 250 cm

Mesh size: 25 cm

Rope diameter: 16 mm



Comes with assembly material.

Climbing obstacle


LIGHT CLIMBING PYRAMID

To be installed on one wire rope.

Size of light climbing pyramid:

W 80 cm, H 220 cm

Colours of climbing holders:



Comes with assembly material.

Climbing obstacle

CLIFFHANGER

To be installed on two wire ropes.
The height between the wire ropes needs to be 220 cm.

Made of larch (mélèze) wood.



Board dimension:

W 20 cm, H 250 cm

Number of climbing holders:

3 on each board

Colours of climbing holders:



Comes with assembly material.

Climbing obstacle

CLIMBING WALL

To be installed on two square beams or two wire ropes.

The height between the square beams / wire ropes needs to be 220 cm.

Made of larch (mélèze) wood.

Board dimension:


W 20 cm, H 250 cm

Length of climbing wall: 1m

Size can be customised.

With 10 climbing holders for 1 m of wall length.

Colours of climbing holders:



Comes with assembly material.

Climbing obstacle

CLIMBING ANIMALS

To be installed on two wire ropes.

The height between the wire ropes needs to be 220 cm.


2 round beams are placed behind each element.

The surface of the element is weather resistant.

Colours of elements:



Colours of climbing holders:



Comes with assembly material.

Climbing obstacle


CLIMBING GHOST

To be installed on two wire ropes.
The height between the wire ropes needs to be 220 cm.

The surface of the element is weather resistant.

Size of climbing ghost:
W 120 cm, H 240 cm

Colours to choose from:



Comes with assembly material.

Climbing obstacle


CLIMBING U NET

To be installed on two wire ropes.

Mesh size: 25 cm

Rope diameter: 16 mm

Size of the net: custom



Comes with assembly material.


Climbing obstacle

CHARLIE CHAPLIN

To be installed directly on the platform and tree.

Rope diameter: 16 mm

Length of the rope: custom



Comes with assembly material.

Hanging obstacles

Hanging and floating between platforms, hanging obstacles are to be installed on wire ropes above the user's head.

Hanging obstacle

STAIRWAY TO HEAVEN -SINGLE

To be installed on two wire ropes.

The recommended distance
between wire ropes is 60 cm.



Slings are 200 cm long.

Size of round beam:

W 75 cm, ø10 cm

Sling rope diameter: 16 mm

Rope type: Hercules rope or PP rope



Comes with assembly material.

Hanging obstacle

STAIRWAY TO HEAVEN -DOUBLE

To be installed on two wire ropes.

The recommended distance
between wire ropes is 60 cm.


Slings are 200 cm long.

Size of round beam:

W 75 cm, ø10 cm

Sling rope diameter: 16 mm

Rope type: Hercules rope or PP rope



Comes with assembly material.

Hanging obstacle

STAIRWAY TO HEAVEN -DOUBLE WITH SPRING


To be installed on two wire ropes.

The recommended distance
between wire ropes is 60 cm.

Slings are 200 cm long.

Size of round beam:
W 75 cm, ø10 cm

Rope type: wire rope 10 mm



Comes with assembly material.

Hanging obstacle



STAIRWAY TO HEAVEN **-SINGLE SLING**

To be installed on one wire rope.
Slings are 200 cm long.

Size of round beam:
W 40 cm, ø10 cm

Sling rope diameter: 16 mm

Rope type: Hercules rope or PP rope



Comes with assembly material.

Hanging obstacle

SWINGING BEAM - SINGLE

To be installed on one wire rope.


Slings are 200 cm long.

Size of round beam:

L 150 cm, Ø12 cm

Length of the round beam can be customised.

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle

SWINGING BEAM

To be installed on two wire ropes.

The recommended distance between wire ropes is 60 cm.


Slings are 200 cm long.

Size of round beam:

L 150 cm, Ø12 cm

Length of the round beam can be customised.

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle

SWINGING BEAM - RAINBOW

To be installed on two wire ropes.
The recommended distance
between wire ropes is 60 cm. Slings
are 200 cm long.



Size of round beam:

L 150 cm, Ø12 cm

Length of the round beam can
be customised.

Sling rope diameter: 16 mm

Colours of the Hercules rope:



Comes with assembly material.

Hanging obstacle

SWINGING BEAM - TRIPLE

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm. Slings are 200 cm long.

Size of round beam:

L 150 cm, Ø12 cm

Length of the round beam can be customised.

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle

HANGING SKITLES

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Size of round beam:

H 75 cm, Ø12 cm

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle

HANGING H

To be installed on two wire ropes.



The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Size of round beam:

L 150 cm, Ø12 cm

Sling rope diameter: 16 mm



Comes with assembly material.


Hanging obstacle

HANGING BAT

To be installed on one wire rope.

Size of round beam:

H 220 cm, Ø12 cm



Comes with assembly material.

Hanging obstacle

HANGING ZIGZAG

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Made of larch (mélèze) wood.

Length of zigzag element:
1.5 m (2 boards, 3 slings)

The elements are connected together for the whole length of the game.



Comes with assembly material.

Hanging obstacle


HANGING X

To be installed on two wire ropes.
The recommended distance
between wire ropes is 60 cm.
Slings are 200 cm long.

Made of larch (mélèze) wood.

Size of X element: 75 cm

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle

HANGING CIRCLES

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Made of larch (mélèze) wood.

Size of circle: 75 cm

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle


HANGING SQUARES

To be installed on two wire ropes.
The recommended distance between wire ropes is 60 cm.
Slings are 200 cm long.

Made of larch (mélèze) wood.

Size of square: 75 cm

Sling rope diameter: 16 mm



Comes with assembly material.

Hanging obstacle

HANGING PLATES

To be installed on one wire rope.

Slings are 200 cm long.

Made of larch (mélèze) wood.

Diameter of plate: 40 cm

Sling rope diameter: 16 mm

Rope type: Hercules rope or PP rope



Comes with assembly material.

Hanging obstacle

HANGING RUBBER SEMICIRCLES


To be installed on two wire ropes.
The recommended distance between wire ropes is 60 cm.
Slings are 200 cm long.

The rubber is installed on wooden island. Island is made of larch wood.

Size of element: 75 cm

Sling rope diameter: 16 mm

Colours of the rubber half-ball are subject to availability.



Comes with assembly material.

Hanging obstacle

HANGING WAVES

To be installed on two wire ropes. The recommended distance between wire ropes is 60 cm.

Made of larch (mélèze) wood.

Size of wave: W 75 cm, L 220 cm

Sling rope diameter: 16 mm



Comes with assembly material.


Hanging obstacle

WOODEN TUNNEL

To be installed on two wire ropes.
The recommended distance between wire ropes is 60 cm.

Made of larch (mélèze) wood.

Size of tunnel can be customised,
maximum length is 300 cm.




Comes with assembly material.

Hanging obstacle

NET TUNNEL

To be installed on two wire ropes.
The recommended distance
between wire ropes is 60 cm.

Size of tunnel can be customised.



Comes with assembly material.

Hanging obstacle

HANGING NET CURTAINS


To be installed on one or two wire ropes.

Mesh size: 25 cm or 30 cm

Size of curtain: W 150 cm, H 250 cm

Size can be customised.

Round beam: Ø12 cm.



Comes with assembly material.

Hanging obstacle


U NET

To be installed on two wire ropes.

Mesh size: 5 cm

Size of the net: custom

Colour of the net: white



Hanging obstacle

U SLING


To be installed on two wire ropes.
The recommended distance
between wire ropes is 60 cm.

Sling rope diameter: 16 mm

Sling length: 4 m

Other options:

Sling length 2 m or customised



Comes with assembly material.


Hanging obstacle

TIBET BRIDGE

To be installed on two wire ropes.

The recommended distance between wire ropes is 60 cm.

Sling rope diameter: 20 mm



Medium
difficulty exercise

Comes with assembly material.

Hanging obstacle

KNOT ROPE

To be installed on one wire rope.

Sling rope diameter: 20 mm

Sling length: 3 m



Comes with assembly material.

Hanging obstacle

HANGING STIRRUP

To be installed on two wire ropes.

The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Sling rope diameter: 16 mm

Rope type: Hercules rope or PP rope



Comes with assembly material.

Hanging obstacle

BLACK MAMBA


To be installed on two wire ropes.

The recommended distance
between wire ropes is 60 cm.

Slings are 200 cm long.

Sling rope diameter: 16 mm

Black mamba rope diameter: 16 cm



Comes with assembly material.

Hanging obstacle

BLUE MAMBA


To be installed on two wire ropes.

The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Sling rope diameter: 16 mm

Blue mamba rope diameter: 8 cm



Comes with assembly material.

Hanging obstacle

WHITE MAMBA

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Sling rope diameter: 16 mm

White mamba rope diameter: 20 cm

With a steel rope inside.



Comes with assembly material.

Hanging obstacle

HANGING APPLES

To be installed on two wire ropes.



The recommended distance between wire ropes is 50 cm.

Slings are 200 cm long.

The surface of the element is non-slip and weather resistant.

Size of apple: W 74 cm, L 69 cm

Colour of apple:



Comes with assembly material.

Hanging obstacle

HANGING PEARS

To be installed on two wire ropes.



The recommended distance between wire ropes is 50 cm.

Slings are 200 cm long.

The surface of the element is non-slip and weather resistant.

Size of pear: W 74 cm, L 54 cm

Colour of pear:



Comes with assembly material.


Hanging obstacle

CLIMBING TRIANGLE

To be installed on two wire ropes.

Sling rope diameter: 16 mm

Rope type: Hercules rope



Comes with assembly material.

Hanging obstacle

HANGING ROPE WINDOWS

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Made of larch (mélèze) wood.

Size of window: W 80 cm, L 155 cm

Length of the window can be customised.



Comes with assembly material.

Hanging obstacle

HANGING FLOATING WINDOWS

To be installed on two wire ropes.


The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Made of larch (mélèze) wood.

Size of window: W 80 cm, L 155 cm

Length of the window can be customised.



Medium
difficulty exercise

Comes with assembly material.

Hanging obstacle


HANGING CLIMBING BAT

To be installed on one wire rope.

Size of round beam:

H 220 cm, Ø12 cm

Colours of climbing holders:



Comes with assembly material.

Hanging obstacle

HANGING Z


To be installed on two wire ropes.

The recommended distance between wire ropes is 60 cm.

Slings are 200 cm long.

Made of larch (mélèze) wood.

Size of Z element: W 75 cm, L 150 cm



Comes with assembly material.



A close-up photograph of a pine tree's branches, showing numerous long, thin, green needles. The needles are arranged in dense, radiating clusters. The background is dark and out of focus, emphasizing the sharp details of the needles in the foreground.

Riding obstacles

Elements on trolleys to
ride from one platform
to another.

Riding obstacle

BASKET



To be installed on two wire ropes.

The recommended distance between wire ropes is 60 cm.

Recommended is a 12 mm wire rope compact.

Slings are 200 cm long.

Colours of the basket are subject to availability.




Comes with 2 trolleys.

Riding obstacle

BIKE HANDLE

To be installed on one wire rope. Recommended is a 12 mm wire rope compact.




Comes with 1 trolley.

Riding obstacle

SLEDGE

To be installed on two wire ropes. The distance between the wire ropes needs to be 60 cm. Recommended is a 12 mm wire rope compact.

Colours of the sledge are subject to availability.



Comes with 4 trolleys.


Riding obstacle

WAKE BOARD RIDE

To be installed on two wire ropes. The recommended distance between the wire ropes is 60cm. Recommended is a 12 mm wire rope compact.

Slings are 200 cm long.

Colours of the board are subject to availability.




Comes with 4 trolleys.

Riding obstacle

SCOOTER RIDE

To be installed on two wire ropes.
The distance between the wire ropes needs to be 60 cm.
Recommended is a 12 mm wire rope compact.

Made of larch (mélèze) wood.




Comes with 4 trolleys.

Riding obstacle

SWING RIDE

To be installed on two wire ropes.
The recommended distance
between the wire ropes is 60 cm.
Recommended is a 12 mm wire
rope compact.

Made of larch (mélèze) wood.



Comes with 2 trolleys.

Riding obstacle

COCOBALL

To be installed on one wire rope.
Recommended is a 12 mm wire rope
compact.

Sling is 200 cm long.



Medium
difficulty exercise




Comes with 1 trolley.

Riding obstacle

TARZAN RIDE

To be installed on one wire rope.
Recommended is a 12 mm wire rope compact.

Length of the sling: custom



Comes with 1 trolley.

Riding obstacle


PLATE RIDE

To be installed on one wire rope.
Recommended is a 12 mm wire rope compact.

Made of larch (mélèze) wood.

Length of the sling: custom

Rope type: PP rope or Hercules rope



Comes with 1 trolley.



Other obstacles



Special elements,
mattresses, and
vertical elements.

Other obstacle

BIKE

To be installed on one wire rope.
Required is a 12 mm wire rope
compact.

Size of bike: W 30 cm, H 170 cm




Comes with assembly material.

Other obstacle

LADDER

Production by arrangement.



Other obstacle


VERTICAL NET TUNNEL

One section is 1 m long.

Size: custom

Size of rope: Ø16 mm

Size of mesh: 25 cm



Comes with assembly material.

Other obstacle

SLIDE


Made of tarpaulin.

To be installed on two wire ropes. The distance between the ropes is 60 cm.

Width of slide: 80 cm

Length can be customised.

Colours to choose from:



Medium
difficulty exercise

Comes with assembly material.

Other obstacle

MATTRESS

Foam inside, tarpaulin outside.

Variety of shapes.

Colours:



**Jumping
custom made
banana**



**X-cross
mattress**
200 cm x Ø10 cm



Box mattress
150 cm x Ø20 cm



Protect flat mattress
60 x 140 x 10 cm;
with 3 slings to connect on tree



Protect corner mattress
150 x 16 x 16 cm; with rings



Protect half tunnel
Height 1,4 m; 70 cm; with 3 slings to connect on tree



Other

Products of companies
we cooperate with.

CILAO**MORPHO****PETZL****QUICKJUMP EUROPE**

info@zupi.si

+386 41 521 695

www.zupi.si

zupi